



Semiconductor Engineering and Optimization Services
Based on TCAD Modeling

TCAD Calibration

2a dVUZ eV 4 25 dZ f JReZ _dV_gZ _^ V_eR]] h d dZ e f R]h RW d
f _d dV d e V d a e Z k ReZ _d V c TV d d V d R U d V g Z V d e V d S j d
d U f T Z X e V d V W U e f d V d i a V _ d Z V d i a V e Z V _ e R]h R W d d f c Z X d
e / T Y _] X j d V g V] a ^ V _ e Z Y V d f ^ S V d V e V d R e Z _ d Z d V R] d Z T ` _ d
T R _ d S V d c R ^ R e Z T R] j d V U f T V U d h Z Y R e 4 2 5 I S R d V U e V T Y _] X j d
U V g V] a ^ V _ e V _ g Z _ ^ V _ e d d R d Z V d S V _ W d V g Z T V R U a c T V d d d
V _ X Z W d d X R Z _ d Z Y e e e e V d V g Z T V S V Y R g Z e V R e V] a d d] R e d
R _ U d] g V a c S] V ^ d R e V d e ` e T R f d V Z

E Y c f X Y e V g R d e V i a V e Z _ T V Z _ a c T V d d e V T Y _] X Z d d g V d
e V d R d e h ` d V T R U V d d j _ ` a d j d e 4 2 5 d V g Z T V d d V] g V d d R d
T ` _ d Z d e _ e R _ U d W Z / e T R] S c R e Z _ d V e V U `] X j e e T d R d V d

Predicta

Dj_`adj dġ_Tž
(!! ċRde> ZU]W]Uċ` RU
>`f_eRZ_ĊZ/hġ4 2ċ`%ġ %\$
h h h žj_`adj dž` ^